### Regional HIV/AIDS Epidemiologic Profile of Lynn, Massachusetts: 2011

#### Recent changes to the presentation of Massachusetts HIV/AIDS surveillance data

Effective January 1, 2011, the Massachusetts Department of Public Health (MDPH), Bureau of Infectious Diseases, HIV/AIDS fact sheets, epidemiologic reports and other HIV data presentations have been updated to remove all HIV/AIDS cases that were first diagnosed while residing in another state before being reported in Massachusetts. As of January 1, 2011, this resulted in the removal of 2,297 HIV/AIDS cases, of which 739 have died and 1,558 were living. These persons living with HIV/AIDS may currently reside and receive care in the Commonwealth. The total number of persons living in Massachusetts with HIV/AIDS, irrespective of location of diagnosis, is the basis for MDPH service planning. This change is partially a result of increased activities required by the Centers for Disease Control and Prevention (CDC) for de-duplication among states in an effort to identify cases that are counted multiple times in the National HIV/AIDS surveillance system. The cases are assigned to the state that reports the earliest date of AIDS diagnosis, if available. If the case has not progressed to AIDS, the case is assigned to the state with the earliest HIV diagnosis date. Please note that all previous HIV/AIDS fact sheets, data reports and presentations include cases that may have been first diagnosed in another state.

Also effective January 1, 2011, the Massachusetts Department of Public Health (MDPH) HIV/AIDS fact sheets, epidemiologic reports, and other data presentations have been updated to eliminate the presumed heterosexual exposure mode category for males: those cases have been reassigned to the no identified risk (NIR) exposure mode category. The presumed heterosexual exposure mode category was used with the intention of identifying HIV exposure mode for females when sex with males is the only reported risk factor, there is no evidence of current or past injection drug use (IDU), and behavioral risk and HIV status information about male sexual partners are unknown. Twenty-nine percent of females living with HIV/AIDS and 41% of recent HIV diagnoses among females are reported in the presumed heterosexual exposure mode category. The application of the presumed heterosexual exposure mode category to males is overly inclusive in that female to male HIV transmission is biologically less probable, and there are alternate exposure modes that are possible for males, including sex with other men (MSM) or IDU. The CDC reports males diagnosed with HIV/AIDS who report sex with females as their only risk factor, without corresponding partner risk or HIV status information, in the NIR exposure mode category. This revision to report presumed heterosexual male HIV/AIDS cases as NIR will bring Massachusetts HIV/AIDS case reporting for males in alignment with CDC standards. The MDPH will maintain presumed heterosexual and heterosexual exposure mode categories for females.

Table 1. Total number of people reported with HIV infection or AIDS <sup>1</sup> by mortality status on December 31, 2010 Lynn, Massachusetts <sup>2</sup>								
N %								
People Living with HIV/AIDS	380	62%						
People Reported with HIV or AIDS who are Deceased	233	38%						
Total Number of People Reported with HIV Infection or								
AIDS 613 100%								

<sup>&</sup>lt;sup>1</sup> Does not include individuals diagnosed with HIV infection (non-AIDS) who died prior to January 1, 1999 or who were not in care on January 1, 1999
<sup>2</sup> Effective, January 1, 2011 the Massachusetts Department of Public Health, HIV/AIDS fact sheets, epidemiologic reports, and other

Data Source: MDPH HIV/AIDS Surveillance Program, Data as of 1/1/11

# Table 2. Average annual rate of HIV infection diagnosis from 2007 to 2009 and HIV/AIDS prevalence rate on 12/31/10<sup>1</sup>: Lynn, Massachusetts<sup>2</sup>

Average annual HIV diagnosis rate from 2007–2009	Average rate per 100,000	Average annual number of HIV diagnoses
Lynn, MA	13.7	12.7
Massachusetts Total	9.4	607.3

HIV/AIDS prevalence rate		Number of people
on 12/31/10	Rate per 100,000	living with HIV/AIDS
Lynn, MA	412.2	380
Massachusetts Total	273.7	17,621

<sup>&</sup>lt;sup>1</sup> The denominators for prevalence calculations are based on year 2005 population estimates from the MDPH Bureau of Health Statistics, Research and Evaluation.

Data Source: MDPH HIV/AIDS Surveillance Program, Data as of 1/1/11

<sup>&</sup>lt;sup>2</sup> Effective, January 1, 2011 the Massachusetts Department of Public Health, HIV/AIDS fact sheets, epidemiologic reports, and other data presentations have been updated to remove all HIV/AIDS cases that were first diagnosed in another state before being reported in Massachusetts.

<sup>&</sup>lt;sup>2</sup> Effective, January 1, 2011 the Massachusetts Department of Public Health, HIV/AIDS fact sheets, epidemiologic reports, and other data presentations have been updated to remove all HIV/AIDS cases that were first diagnosed in another state before being reported in Massachusetts.

Table 3. People living with HIV/AIDS<sup>1</sup>, deaths among people reported with HIV/AIDS, and newly diagnosed HIV infections by year<sup>2</sup>: 2000–2009, Lynn, Massachusetts<sup>3</sup>

Year	HIV/AIDS Prevalence	Deaths among those with HIV/AIDS	Diagnosis of HIV Infection		
2000	260	11	27		
2000	268	11	27		
2001	280	12	24		
2002	298	9	27		
2003	304	13	19		
2004	315	5	16		
2005	337	5	27		
2006	347	5	15		
2007	349	11	13		
2008	357	3	11		
2009	367	4	14		

<sup>&</sup>lt;sup>1</sup> Number of people living with HIV/AIDS on 12/31 of each year

Data source: MDPH HIV/AIDS Surveillance Program, Data as of 1/1/11

<sup>&</sup>lt;sup>2</sup>Reflects year of HIV infection diagnosis among all individuals reported with HIV infection, with or without an AIDS diagnosis for

the most recently available 10 year period after the implementation of HIV infection reporting in 1999. 
<sup>3</sup> Effective, January 1, 2011 the Massachusetts Department of Public Health, HIV/AIDS fact sheets, epidemiologic reports, and other data presentations have been updated to remove all HIV/AIDS cases that were first diagnosed in another state before being reported in Massachusetts.

Table 4. People diagnosed with HIV infection from 2007–2009<sup>1</sup> and people living with HIV/AIDS on December 31, 2010 by gender, place of birth, race/ethnicity, exposure mode, age at HIV infection diagnosis and current age: Lynn, Massachusetts<sup>2</sup>

	HIV Infection Dia	agnoses	PLWH	/A
Gender:	N	%	N	%
Male	24	63%	227	60%
Female	14	37%	153	40%
Place of Birth:	N	%	N	%
US	19	50%	208	55%
Puerto Rico/US Dependency <sup>3</sup>	<sup>7</sup>	7	40	11%
Non-US	<b></b> <sup>7</sup>	7	132	35%
Race/Ethnicity:	N	%	N	%
White (non-Hispanic)	7	7	134	35%
Black (non-Hispanic)	12	32%	132	35%
Hispanic/Latino	17	45%	100	26%
Other/Undetermined <sup>4</sup>	<b></b> <sup>7</sup>	<b></b> <sup>7</sup>	14	4%
Exposure Mode:	N	%	N	%
Male-to-male sex (MSM)	12	32%	95	25%
Injection Drug Use (IDU)	<sup>7</sup>	<sup>7</sup>	76	20%
MSM/IDU	<b></b> <sup>7</sup>	<b></b> <sup>7</sup>	9	2%
Heterosexual Sex	5	13%	53	14%
Other	0	0%	6	2%
Total Undetermined	18	47%	141	37%
<ul> <li>Presumed Heterosexual Sex<sup>5</sup></li> <li>Undetermined<sup>6</sup></li> </ul>	6 12	16% 32%	66 75	17% 20%
	N	%		<del>20%</del>
Age:	At Diagnosi		On December	
Under 13	_		On December	<sup>7</sup>
13 to 19	0 <sup>7</sup>	0% <sup>7</sup>	7	7
20 to 24	5	13%	8	2%
25 to 29	6	16%	11	3%
30 to 34	7	18%	29	8%
35 to 39	<sup>7</sup>	7	31	8%
40 to 44	7	7	71	19%
45 to 49	<b>6</b> 7	16%	85	22%
50 to 54		<b></b> <sup>7</sup>	72	19%
55 to 59	7	<b></b> <sup>7</sup>	28	7%
60+	<b></b> <sup>7</sup>	7	38	10%
Total	38	100%	380	100%

<sup>1</sup>Reflects year of HIV infection diagnosis among all individuals reported with HIV infection, with or without an AIDS diagnosis for the most recently available three-year period after the implementation of HIV infection reporting in 1999.

<sup>&</sup>lt;sup>2</sup> Effective, January 1, 2011 the Massachusetts Department of Public Health, HIV/AIDS fact sheets, epidemiologic reports, and other data presentations have been updated to remove all HIV/AIDS cases that were first diagnosed in another state before being reported in Massachusetts.

<sup>3</sup> Ninety-seven percent of all people diagnosed with HIV infection in MA who were born in a US dependency were born in Puerto

Ninety-seven percent of all people diagnosed with HIV infection in MA who were born in a US dependency were born in Puerto Rico, 1% were born in the US Virgin Islands, <1% were born in American Samoa, <1% were born in Guam and 3% were born in an unknown dependency.

<sup>&</sup>lt;sup>4</sup>Other/Undetermined includes Asian/Pacific Islander, American Indian/Alaska Native and people of unspecified race/ethnicity <sup>5</sup> Includes female sex with male of unknown HIV status or risk. This category is limited to females.

<sup>&</sup>lt;sup>6</sup> Includes male sex with female of unknown HIV status or risk, those still being followed up for risk information, those who have died with no determined risk, and those lost to follow-up.

Numbers less than 5 for localities with populations of less than 50,000 are suppressed for the assurance of confidentiality. Data Source: MDPH HIV/AIDS Surveillance Program (percentages may not add up to 100% due to rounding), Data as of 1/1/11

Table 5. People living with HIV/AIDS on December 31, 2010 by gender and race/ethnicity: Lynn, Massachusetts<sup>1</sup>

	Male	Female		
Race/Ethnicity:	N	%	N	%
White (non-Hispanic)	100	44%	34	22%
Black (non-Hispanic)	58	26%	74	48%
Hispanic/Latino	62	27%	38	25%
Other/Undetermined <sup>2</sup>	7	3%	7	5%
Total	227	100%	153	100%

<sup>&</sup>lt;sup>1</sup> Effective, January 1, 2011 the Massachusetts Department of Public Health, HIV/AIDS fact sheets, epidemiologic reports, and other data presentations have been updated to remove all HIV/AIDS cases that were first diagnosed in another state before being reported in Massachusetts.

## Table 6. People living with HIV/AIDS on December 31, 2010 by gender and exposure mode: Lynn, Massachusetts<sup>1</sup>

	Male		Female		
Exposure Mode:	N	%	N	%	
Male-to-male sex (MSM)	95	42%	N/A	N/A	
Injection drug use (IDU) MSM/IDU	45 <sup>4</sup>	20%	31 N/A	20% N/A	
Heterosexual sex Other	13	6%	40 <sup>4</sup>	26%	
Total Undetermined	63	 28%	 78	51%	
<ul> <li>Presumed heterosexual sex<sup>2</sup></li> <li>Undetermined<sup>3</sup></li> </ul>	N/A 63	N/A 28%	66 <sup>4</sup>	43% <sup>4</sup>	
Total	227	100%	153	100%	

<sup>&</sup>lt;sup>1</sup> Effective, January 1, 2011 the Massachusetts Department of Public Health, HIV/AIDS fact sheets, epidemiologic reports, and other data presentations have been updated to remove all HIV/AIDS cases that were first diagnosed in another state before being reported in Massachusetts.

N/A=Not Applicable

Data Source: MDPH HIV/AIDS Surveillance Program (percentages may not add up to 100% due to rounding), data as of 1/1/11

<sup>&</sup>lt;sup>2</sup> Other/Undetermined includes Asian/Pacific Islander, American Indian/Alaska Native and people of unspecified race/ethnicity.

Data Source: MDPH HIV/AIDS Surveillance Program (percentages may not add up to 100% due to rounding), data as of 1/1/11

<sup>&</sup>lt;sup>2</sup> Includes female sex with male of unknown HIV status or risk. This category is limited to females.

<sup>&</sup>lt;sup>3</sup> Includes male sex with female of unknown HIV status or risk, those still being followed up for risk information, those who have died with no determined risk, and those lost to follow-up.

<sup>&</sup>lt;sup>4</sup> Numbers less than 5 for localities with populations of less than 50,000 are suppressed for the assurance of confidentiality.

Table 7. People diagnosed with HIV infection by gender and year of diagnosis: Lynn, Massachusetts<sup>1</sup>, 2000–2009<sup>2</sup>

	Male		Female		
	N	%	N	%	Total
2000	17	63%	10	37%	27
2001	11	46%	13	54%	24
2002	15	56%	12	44%	27
2003	10	53%	9	47%	19
2004	8	50%	8	50%	16
2005	16	59%	11	41%	27
2006	10	67%	5	33%	15
2007	<b>6</b>	46%	7	54%	13
2008		3	<b></b> <sup>3</sup>	<b></b> <sup>3</sup>	11
2009	<b></b> <sup>3</sup>	<b></b> <sup>3</sup>	<b></b> <sup>3</sup>	3	14

<sup>&</sup>lt;sup>1</sup> Effective, January 1, 2011 the Massachusetts Department of Public Health, HIV/AIDS fact sheets, epidemiologic reports, and other data presentations have been updated to remove all HIV/AIDS cases that were first diagnosed in another state before being reported in Massachusetts.

Table 8. People diagnosed with HIV infection by race/ethnicity and year of diagnosis: Lynn, Massachusetts<sup>1</sup>, 2000–2009<sup>2</sup>

	White	NH	Black NH		Hispanic/Latino		Othe Undeterr	_	Total
	N	%	N	%	N	%	N	%	
2000 2001	5 4	19% 17%	10 13	37% 54%	9	33% <sup>4</sup>	3	11% <sup>4</sup>	27 24
2002 2003 2004	5 4 5	19% 21% 31%	14 11 8	52% 58% 50%	6 <sup>4</sup> <sup>4</sup>	22% <sup>4</sup>	2 <sup>4</sup>	7% <sup>4</sup>	27 19 16
2005 2006 2007 2008	8 7 4 2	30% 47% 31% 18%	11 6 <sup>4</sup>	41% 40% <sup>4</sup>	7 <sup>4</sup> 5 5	26% <sup>4</sup> 38% 45%	1 <sup>4</sup> <sup>4</sup>	4% <sup>4</sup> <sup>4</sup>	27 15 13
2009	2	14%	5	36%	7	50%	0	0%	14

<sup>&</sup>lt;sup>1</sup> Effective, January 1, 2011 the Massachusetts Department of Public Health, HIV/AIDS fact sheets, epidemiologic reports, and other data presentations have been updated to remove all HIV/AIDS cases that were first diagnosed in another state before being reported in Massachusetts.

Data Source: MDPH HIV/AIDS Surveillance Program (percentages may not add up to 100% due to rounding), data as of 1/1/11

<sup>&</sup>lt;sup>2</sup> Reflects year of HIV infection diagnosis among all individuals reported with HIV infection, with or without an AIDS diagnosis for the most recently available 10 year period after the implementation of HIV infection reporting in 1999.

<sup>&</sup>lt;sup>3</sup> Numbers less than 5 for localities with populations of less than 50,000 are suppressed for the assurance of confidentiality. Data Source: MDPH HIV/AIDS Surveillance Program (percentages may not add up to 100% due to rounding), data as of 1/1/11

<sup>&</sup>lt;sup>2</sup> Reflects year of HIV infection diagnosis among all individuals reported with HIV infection, with or without an AIDS diagnosis for the most recently available 10 year period after the implementation of HIV infection reporting in 1999.

<sup>&</sup>lt;sup>3</sup> Other/Undetermined includes Asian/Pacific Islander, American Indian/Alaska Native and people of unspecified race/ethnicity.

<sup>&</sup>lt;sup>4</sup> Numbers less than 5 for localities with populations of less than 50,000 are suppressed for the assurance of confidentiality.

Table 9. People diagnosed with HIV infection by place of birth and year of diagnosis: Lynn, Massachusetts<sup>1</sup>, 2000–2009<sup>2</sup>

	US	U	Puerto R IS Depend	_	Non-U	S	
	N	%	N	%	N	%	Total
2000	4	4	4	4	13	48%	27
2001	4	4	4	4	15	63%	24
2002	4	<b></b> <sup>4</sup>	4	4	14	52%	27
2003	4	<b></b> <sup>4</sup>	4	4	8	42%	19
2004	<b></b> <sup>4</sup>	<b></b> <sup>4</sup>	4	4	5	31%	16
2005	4	4	4	4	14	52%	27
2006	4	4	4	4	4	27%	15
2007	6	46%	0	0%	7	54%	13
2008	4	4	4	4	6	55%	11
2009	9	64%	0	0%	5	36%	14

<sup>&</sup>lt;sup>1</sup> Effective, January 1, 2011 the Massachusetts Department of Public Health, HIV/AIDS fact sheets, epidemiologic reports, and other data presentations have been updated to remove all HIV/AIDS cases that were first diagnosed in another state before being reported in Massachusetts.

## Table 10. People diagnosed with HIV infection by exposure mode and year of diagnosis: Lynn, Massachusetts<sup>1</sup>, 2000–2009<sup>2</sup>

	MS	M	ID	U	MS ID		HT	SX	Oth	ner	Pre HTS			eter- ned <sup>4</sup>	Total
	N	%	N	%	N	%	N	%	N	%	N	%	N	%	N
2000	5	5	8	30%	0	0%	6	22%	0	0%	5	5	5	19%	27
2001	<b></b> 5	<b></b> 5	<b></b> 5	5	<sup>5</sup>	<u></u> 5	7	29%	Ö	0%	7	29%	6	25%	24
2002	<u></u> 5	5	5	<b></b> 5	0	0%	<b></b> 5	5	0	0%	8	30%	11	41%	27
2003	5	5	5	5	0	0%	<b></b> 5	5	0	0%	5	<b></b> 5	5	26%	19
2004	5	31%	0	0%	0	0%	5	<b></b> <sup>5</sup>	0	0%	<b></b> <sup>5</sup>	5	5	31%	16
2005	8	30%	5	<b></b> <sup>5</sup>	5	<b></b> 5	<b></b> 5	<b></b> <sup>5</sup>	0	0%	6	22%	6	22%	27
2006	5	33%	<sup>5</sup>	<b></b> <sup>5</sup>	0	0%	<b></b> 5	<b></b> <sup>5</sup>	0	0%	<sup>5</sup>	<b></b> <sup>5</sup>	<b></b> 5	<b></b> <sup>5</sup>	15
2007	5	5	5	5	0	0%	<b></b> 5	5	0	0%	5	<b></b> 5	5	<b></b> 5	13
2008	<b></b> <sup>5</sup>	5	5	<b></b> <sup>5</sup>	<b></b> 5	5	<b></b> <sup>5</sup>	5	0	0%	<b></b> <sup>5</sup>	<b></b> <sup>5</sup>	<b></b> <sup>5</sup>	<b></b> <sup>5</sup>	11
2009	6	43%	0	0%	0	0%	0	0%	0	0%	5	<b></b> 5	7	50%	14

<sup>&</sup>lt;sup>1</sup> Effective, January 1, 2011 the Massachusetts Department of Public Health, HIV/AIDS fact sheets, epidemiologic reports, and other data presentations have been updated to remove all HIV/AIDS cases that were first diagnosed in another state before being reported in Massachusetts.

<sup>&</sup>lt;sup>2</sup> Reflects year of HIV infection diagnosis among all individuals reported with HIV infection, with or without an AIDS diagnosis for the most recently available 10 year period after the implementation of HIV infection reporting in 1999.

<sup>&</sup>lt;sup>3</sup> Ninety-seven percent of all people diagnosed with HIV infection in MA who were born in a US dependency were born in Puerto Rico, 1% were born in the US Virgin Islands, <1% were born in American Samoa, <1% were born in Guam and 3% were born in an unknown dependency.

<sup>&</sup>lt;sup>4</sup> Numbers less than 5 for localities with populations of less than 50,000 are suppressed for the assurance of confidentiality. Data Source: MDPH HIV/AIDS Surveillance Program (percentages may not add up to 100% due to rounding), data as of 1/1/11

Massachusetts.

<sup>2</sup> Reflects year of HIV infection diagnosis among all individuals reported with HIV infection, with or without an AIDS diagnosis for the most recently available 10 year period after the implementation of HIV infection reporting in 1999.

<sup>&</sup>lt;sup>3</sup> Includes female sex with male of unknown HIV status or risk. This category is limited to females.

<sup>&</sup>lt;sup>4</sup> Includes male sex with female of unknown HIV status or risk, those still being followed up for risk information, those who have died with no determined risk, and those lost to follow-up.

<sup>&</sup>lt;sup>5</sup> Numbers less than 5 for localities with populations of less than 50,000 are suppressed for the assurance of confidentiality.

MSM = Male-to-Male Sex; IDU = Injection Drug Use; MSM/IDU = Male-to-Male Sex and Injection Drug Use; HTSX = Heterosexual Sex; Pres.

HTSX = Presumed Heterosexual Sex

Data Source: MDPH HIV/AIDS Surveillance Program (percentages may not add up to 100% due to rounding), data as of 1/1/11

Table 11. People diagnosed with HIV infection and AIDS within two months and all people diagnosed with HIV infection by year of diagnosis: Lynn, Massachusetts<sup>1</sup>, 2000–2009<sup>2</sup>

	HIV and AIDS diagnosed within two months	All HIV infection diagnoses	% diagnosed with HIV and AIDS within two months
Year:	N	N	%
2000	40	27	440/
2000	12	27	44%
2001	9	24	38%
2002	14	27	52%
2003	5	19	26%
2004	6	16	38%
2005	8	27	30%
2006	6	15	40%
2007	5	13	38%
2008	5	11	45%
2009	5	14	36%

<sup>&</sup>lt;sup>1</sup> Effective, January 1, 2011 the Massachusetts Department of Public Health, HIV/AIDS fact sheets, epidemiologic reports, and other data presentations have been updated to remove all HIV/AIDS cases that were first diagnosed in another state before being reported in Massachusetts.

before being reported in Massachusetts.

<sup>2</sup> Reflects year of HIV infection diagnosis among all individuals reported with HIV infection, with or without an AIDS diagnosis for the most recently available ten-year period after the implementation of HIV infection reporting in 1999. Data Source: MDPH HIV/AIDS Surveillance Program, data as of 1/1/11

Table 12. People diagnosed with HIV infection and AIDS within two months and all people diagnosed with HIV infection by gender, race/ethnicity, and place of birth: Lynn, Massachusetts, 2007–2009<sup>2</sup>

	HIV and AIDS diagnosed within two	All LIIV/ infaction	% diagnosed with HIV and
	months	All HIV infection diagnoses	AIDS within two months
Gender:	N	N	%
Male Female	9 6	24 14	38% 43%
Race/Ethnicity:	N	N	%
White (non-Hispanic) Black (non-Hispanic) Hispanic/Latino Other/Undetermined <sup>3</sup>	3 <sup>5</sup> 9 <sup>5</sup>	8 <sup>5</sup> 17 <sup>5</sup>	38% <sup>5</sup> 53% <sup>5</sup>
Place of Birth:	N	N	%
US Puerto Rico/US Dependencies <sup>4</sup> Non-US <b>Total</b>	<sup>5</sup> <sup>5</sup> 7 <b>15</b>	<sup>5</sup> <sup>5</sup> 18 <b>38</b>	<sup>5</sup> <sup>5</sup> 39% <b>39%</b>

<sup>&</sup>lt;sup>1</sup> Effective, January 1, 2011 the Massachusetts Department of Public Health, HIV/AIDS fact sheets, epidemiologic reports, and other data presentations have been updated to remove all HIV/AIDS cases that were first diagnosed in another state before being reported in Massachusetts.

<sup>&</sup>lt;sup>2</sup> Reflects year of HIV infection diagnosis among all individuals reported with HIV infection, with or without an AIDS diagnosis for the most recently available three-year period after the implementation of HIV infection reporting in 1999.
<sup>3</sup> Other/Undetermined includes Asian/Pacific Islander, American Indian/Alaska Native and people of unspecified

<sup>\*</sup>Other/Undetermined includes Asian/Pacific Islander, American Indian/Alaska Native and people of unspecified race/ethnicity.

Ninety-nine percent of people diagnosed with HIV infection from 2007–2009 who were born in a US dependency were born in Puerto Rico, <1% were born in the US Virgin Islands and <1% were born in Guam.</li>
 Numbers less than 5 for localities with populations of less than 50,000 are suppressed for the assurance of

Numbers less than 5 for localities with populations of less than 50,000 are suppressed for the assurance of confidentiality

Data Source: MDPH HIV/AIDS Surveillance Program (percentages may not add up to 100% due to rounding), Data as of 1/1/11